

T0902T" 9060T00T




Fig. 1



142, 144

100906-12001




Fig. 2A




FIG. 3

10010906-120601




FIG. 2B




FIG. 2C




FIG. 4

10010905-120601




FIG. 4A

10010906-120501




FIG. 5




FIG. 6






FIG. 8

10010906-120601



FOOT SOGGYFOOT




FIG. 11




FIG. 17




FIG. 18

10010906 120601




FIG. 12

10010906 120601




FIG. 13

10010906 120601




FIG. 14

10010906.1206001




FIG. 15

10010905 "120601




FIG. 16




FIG. 19




FIG. 20



207a

10010906 120601




FIG. 21

Coil O.D.	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.086	0.086	0.086	0.083
Coil I.D.	0.06	0.08	0.08	0.08	0.06	0.06	0.08	0.053	0.053	0.054	0.054
Clip Advancing Wire O.D.	0.017	0.017	0.017	0.015	0.02	0.02	0.02	0.017	0.017	0.017	0.017
End Effects Wire O.D.	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.009	0.009	0.009	0.009
Barrier Sheath	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
	RUN #1	RUN #2	RUN #3	RUN #4	RUN #5	RUN #6	RUN #7	RUN #8	RUN #9	RUN #10	RUN #11
1 lb	0.46	0.24	0.32	0.54	0.59	0.56	0.45	0.87	0.4	0.57	0.77
2 lb	1.19	0.75	0.9	1.07	1.07	1.07	0.69	1.62	1.12	1.02	1
3 lb	1.67	1.24	1.44	1.51	1.9	1.7	1.02	2.07	1.61	1.39	1.77
4 lb	2.19	1.81	1.98	2.62	2.3	2.6	1.51	2.61	2.01	2.09	2.76
5 lb	2.74	2.35	2.59	2.05	3.07	2.98	2.26	3.5	2.44	3.19	3.15
6 lb	3.27	2.82	2.61	2.11	3.68	3.72	2.56	3.87	2.78	3.5	3.61
7 lb	3.32	3.12	3.37		3.93	3.8	3.34	4.56	3.54	3.92	4.48
8 lb	3.82	3.42			4.03	4.08	3.54	4.61	4.28	4.42	5.17
Weight Position	11 lb no loops	11 lb 1 loop	11 lb 2 loops	11 lb no loops	11 lb no loops	11 lb 1 loop	11 lb 2 loops	11 lb no loops	11 lb 2 loops	11 lb no loops	11 lb no loops

FIG. 22

EFFICIENCY PLOT




FIG. 23

10010906 120601